ANALYTICA CHIMICA ACTA, VOL. 281 (1993)

AUTHOR INDEX

Adachi, Y.
—, Sugawara, M., Taniguchi, K. and Umezawa, Y.
Na^+,K^+-ATPase-based bilayer lipid membrane sensor for adenosine 5′-triphosphate 577
Adeloju, S.B.
—, Shaw, S.J. and Wallace, G.G.
Polypyrrole-based potentiometric biosensor for urea. Part 1. Incorporation of urease 611
—, Shaw, S.J. and Wallace, G.G.
Polypyrrole-based potentiometric biosensor for urea. Part 2. Analytical optimisation 621
Agudo, M.
—, Ríos, A. and Valcárcel, M.
Automatic continuous-flow determination of paraquat at the subnanogram per millilitre level 103
Aizawa, M., see Khan, G.F. 527
Alava-Moreno, F.
—, Díaz-García, M.E. and Sanz-Medel, A.
Room temperature phosphorescence optosensor for tetracyclines 637
Albery, W.J.
—, Lennox, R.B., Magner, E., Rao, G., Armstrong, D., Dowling, R.H. and Murphy, G.M.
An amperometric enzyme electrode for bile acids 655
Allard, B., see Ledin, A. 421
Alt, F., see Parent, M. 153
Anzai, J.-i.
—, Sakamura, K., Hasebe, Y. and Osa, T.
Protein sensors based on the potentiometric photoresponse of polymer membranes doped with photochromic spiropyran 543
Armstrong, D., see Albery, W.J. 655
Asai, M., see Iijima, S. 483
Asuero, A.G., see González, A.G. 179

Barceló, D., see Lacorte, S. 71
Bettelheim, A., see Rosen-Margalit, I. 327
Bhargava, P.K., see Rathore, D.P.S. 173
Bloom, N.S., see Horvat, M. 135
Bobrowski, A., see Mrzljak, R.I. 281
Bond, A.M., see Mrzljak, R.I. 281
Branica, M., see Djogić, R. 291
Branica, M., see Zelić, M. 63
Brinkman, U.A.Th., see Van de Nesse, R.J. 373
Burns, D.T.
—, Harriott, M. and Pornsinlapatip, P.
Flow-injection spectrophotometric determination of molybdenum(VI) by extraction with quinolin-8-ol 607

Cardosi, M.F., see Hendry, S.P. 453
Cardwell, T.J., see Mrzljak, R.I. 281
Carofiglio, T.
—, Marton, D. and Lenzmann, F.
Determination of the composition of isomeric mixtures of allylstannanes by means of ^{119}Sn and ^{13}C NMR measurements 119
Carpentier, R.
— and Goetze, D.C.
Microelectrochemical cell containing chloroplast membranes as a fast bioassay for catalase determination 335
Cattrall, R.W., see Mrzljak, R.I. 281
Champion, B.R., see Mrzljak, R.I. 281
Chen, Q., see Diamond, D. 629
Cheng, B.-J., see Lo, J.-M. 429
Chiarizia, R., see Horwitz, E.P. 361
Clechet, P., see Nyamsi Hendji, A.M. 3
Cornelis, R., see Parent, M. 153
Coulet, P.R., see D'Urso, E.M. 535
Crisponi, G.
—, Cristiani, F. and Nurchi, V.
Reliability of the parameters in the resolution of overlapped Gaussian peaks 197
Cristiani, F., see Crisponi, G. 197

Dams, R., see Parent, M. 153
Dams, R., see Vanhoe, H. 401
Danielsson, B., see Rank, M. 521
De Castro, B.
—, Gameiro, P. and Lima, J.L.F.C.
Determination of the pK_a values of sparingly soluble substances in water revisited: application to some benzodiazepines 53
De la Guardia, M., see Dema-Khalaf, K. 249
De la Guardia, M., see Garrigues, S. 259
Dema-Khalaf, K.
—, Morales-Rubio, A. and De la Guardia, M.
Rapid microwave assisted hydrolysis of formetanate 249
De Rooij, N.F., see Koudelka-Hep, M. 461
Diamond, D.
—, Lu, J., Chen, Q. and Wang, J.
Multicomponent batch-injection analysis using an array of ion-selective electrodes 629
Diamond, H., see Horwitz, E.P. 361
Díaz-Cruz, J.M., see Esteban, M. 271
Díaz-García, M.E., see Alava-Moreno, F. 637
Dietz, M.L., see Horwitz, E.P. 361

Djogić, R.
— and Branica, M.
Study of uranyl(VI) ion reduction at various ionic strengths of sodium perchlorate 291
Dombek, V., see Praus, P. 397
Dowling, R.H., see Albery, W.J. 655
Düker, A., see Ledin, A. 421
D'Urso, E.M.
— and Coulet, P.R.
Effect of enzyme ratio and enzyme loading on the performance of a bienzymatic electrochemical phosphate biosensor 535

Esteban, M.
— and Díaz-Cruz, J.M.
General voltammetric method for studying metal complexation in macromolecular systems 271

Fan, Y.-X.
— and Zheng, Y.-X.
Effect of cationic micelles on the fluorescence of the zirconium–morin complex 353
Fukasawa, T.
—, Iwatsuki, M. and Furukawa, M.
State analysis and relationship between lattice constants and compositions including minor elements of synthetic magnetite and maghemite 413
Furukawa, M., see Fukasawa, T. 413

Gallignani, M., see Garrigues, S. 259
Gameiro, P., see De Castro, B. 53
Garrigues, S.
—, Gallignani, M. and De la Guardia, M.
Flow-injection determination of water in organic solvents by near-infrared spectrometry 259
Ge, K., see Xie, Y. 207
Geise, R.J.
—, Rao, S.Y. and Yacynych, A.M.
Electropolymerized 1,3-diaminobenzene for the construction of a 1,1′-dimethylferrocene mediated glucose biosensor 467
Goetze, D.C., see Carpentier, R. 335
González, A.G.
—, Herrador, M.A. and Asuero, A.G.
Resolution of acid strength in non-aqueous acid–base titrations 179
Gooijer, C., see Van de Nesse, R.J. 373
Gram, J., see Rank, M. 521
Grätzel, M., see König, B. 13

Hall, C.E.
— and Hall, E.A.H.
Covalent immobilisation of glucose oxidase on methacrylate copolymers for use in an amperometric glucose sensor 645
Hall, E.A.H., see Hall, C.E. 645
Hamilton, I.C., see Porter, N. 229
Hara, H.
—, Ishio, N. and Takahashi, K.
High speed potentiometric analyzer equipped with an ion-selective electrode detector 45
Harriott, M., see Burns, D.T. 607
Hart, B.T., see Porter, N. 229
Hasebe, Y., see Anzai, J.-i. 543
Hendry, S.P.
—, Cardosi, M.F., Turner, A.P.F. and Neuse, E.W.
Polyferrocenes as mediators in amperometric biosensors for glucose 453
Hernández-Cassou, S., see Saurina, J. 593
Herrador, M.A., see González, A.G. 179
Hey, J., see Mrzljak, R.I. 281
Hiraide, M., see Sorouradin, M.-H. 191
Hobert, H., see Meyer, K. 161
Hoornweg, G.Ph., see Van de Nesse, R.J. 373
Horiguchi, K., see Kaku, S. 35
Horvat, M.
—, Bloom, N.S. and Liang, L.
Comparison of distillation with other current isolation methods for the determination of methyl mercury compounds in low level environmental samples. Part 1. Sediments 135
Horwitz, E.P.
—, Chiarizia, R., Dietz, M.L., Diamond, H. and Nelson, D.M.
Separation and preconcentration of actinides from acidic media by extraction chromatography 361
Hosaka, S., see Iijima, S. 483
Hu, Y.
—, Zhang, Y. and Wilson, G.S.
A needle-type enzyme-based lactate sensor for in vivo monitoring 503
Huang, S.-D., see Liu, Z.-S. 185

Ibonai, M., see Iijima, S. 483
Igarashi, S.
— and Yotsuyanagi, T.
Spectrofluorimetric determination of traces of zinc with the cadmium-$\alpha,\beta,\gamma,\delta$-tetrakis(4-sulphophenyl)porphine complex 347
Iijima, S.
—, Mizutani, F., Yabuki, S., Tanaka, Y., Asai, M., Katsura, T., Hosaka, S. and Ibonai, M.
Ferrocene-attached L-lysine polymers as mediators for glucose-sensing electrodes 483
Ikariyama, Y., see Khan, G.F. 527
Ishio, N., see Hara, H. 45
Iwatsuki, M., see Fukasawa, T. 413

Jaffrezic-Renault, N., see Nyamsi Hendji, A.M. 3
Jagner, D.
—, Renman, L. and Stefansdottir, S.H.
Determination of iron(III) and titanium(IV) as their Solochrome Violet RS complexes by constant-current stripping potentiometry. Part 1. Automated single-point calibration method for iron(III) 305
—, Renman, L. and Stefansdottir, S.H.
Determination of iron(III) and titanium(IV) as their Solochrome Violet RS complexes by constant-current

stripping potentiometry. Part 2. Partial least-squares regression calibration procedure for iron(III) and titanium(IV) 315

Kaku, S.
—, Nakanishi, S., Horiguchi, K. and Sato, M.
Amperometric and colorimetric enzyme immunoassay for urinary human serum albumin using a plasma-treated membrane 35
Kalabokas, P., see Séquaris, J.-M. 341
Karlsson, S., see Ledin, A. 421
Karube, I., see Navera, E.N. 673
Katayama, M.
—, Takeuchi, H. and Taniguchi, H.
Determination of amines by flow-injection analysis based on aryl oxalate–Sulphorhodamine 101 chemiluminescence 111
Katsura, T., see Iijima, S. 483
Kawaguchi, H., see Sorouradin, M.-H. 191
Khan, G.F.
—, Kobatake, E., Ikariyama, Y. and Aizawa, M.
Amperometric biosensor with PQQ enzyme immobilized in a mediator-containing polypyrrole matrix 527
Kim, Y.-S., see Sorouradin, M.-H. 191
Kissa, E.
Determination of acetylacetone and alcohols in titanium chelates 385
Knight, R.W., see Mrzljak, R.I. 281
Kobatake, E., see Khan, G.F. 527
Kobayakawa, I., see Yamada, H. 95
König, B.
— and Grätzel, M.
Detection of human T-lymphocytes with a piezoelectric immunosensor 13
Koudelka-Hep, M.
—, Strike, D.J. and De Rooij, N.F.
Miniature electrochemical glucose biosensors 461
Krull, U.J., see Nikolelis, D.P. 569
Kumar, M., see Rathore, D.P.S. 173
Kvasnik, F., see Lennie, A.R. 265

Lacorte, S.
—, Molina, C. and Barceló, D.
Screening of organophosphorus pesticides in environmental matrices by various gas chromatographic techniques 71
Lahuerta Zamora, L.
— and Martínez Calatayud, J.
Flow-injection spectrophotometric determination of amino acids based on an immobilised copper(II)–zincon system 601
Law, B., see Van de Nesse, R.J. 373
Ledin, A.
—, Karlsson, S., Düker, A. and Allard, B.
Applicability of photon correlation spectroscopy for measurement of concentration and size distribution of colloids in natural waters 421
Lee, J.-D., see Lo, J.-M. 429
Lennie, A.R.
— and Kvasnik, F.
Near-infrared sensing utilising the evanescent field 265
Lennox, R.B., see Albery, W.J. 655
Lenzmann, F., see Carofiglio, T. 119
Li, H., see O'Donnell, J. 129
Liang, L., see Horvat, M. 135
Liang, Y., see Xie, Y. 207
Lima, J.L.F.C., see De Castro, B. 53
Liu, Z.-S.
— and Huang, S.-D.
Automatic on-line preconcentration system for graphite furnace atomic absorption spectrometry for the determination of trace metals in sea water 185
Lo, J.-M.
—, Cheng, B.-J., Tseng, C.-L. and Lee, J.-D.
Preconcentration of nickel-63 in sea water for liquid scintillation counting 429
Love, M.D., see Uhegbu, C.E. 549
Lu, J., see Diamond, D. 629
Lukaszewski, Z., see Szymanski, A. 443

Magner, E., see Albery, W.J. 655
Mahoney, L.A.
—, O'Dea, J. and Osteryoung, J.G.
Development and characterization of an automated flow system for voltammetric analysis 25
Martelet, C., see Nyamsi Hendji, A.M. 3
Martin, A.F.
— and Nieman, T.A.
Glucose quantitation using an immobilized glucose dehydrogenase enzyme reactor and a tris(2,2'-bipyridyl)-ruthenium(II) chemiluminescent sensor 475
Martin, G.B.
— and Rechnitz, G.A.
Integrated enzyme reactor/detector for the determination of multiple substrates by image analysis 557
Martínez Calatayud, J., see Lahuerta Zamora, L. 601
Marton, D., see Carofiglio, T. 119
Massardier, V.
— and Vialle, J.
Investigation of liquid chromatographic systems for the separation of sulphonium salts 391
Matsunaga, T., see Nakamura, N. 585
Meyer, K.
—, Meyer, M., Hobert, H. and Weber, I.
Qualitative and quantitative mixture analysis by library search: infrared analysis of mixtures of carbohydrates 161
Meyer, M., see Meyer, K. 161
Michałowski, J.
— and Trojanowicz, M.
Catalytic determination of copper in blood plasma using flow-injection biamperometry 299
Mizutani, F., see Iijima, S. 483
Molina, C., see Lacorte, S. 71
Morales-Rubio, A., see Dema-Khalaf, K. 249
Morrison, R., see Porter, N. 229

Mrzljak, R.I.
—, Bond, A.M., Cardwell, T.J., Cattrall, R.W., Knight, R.W., Newman, O.M.G., Champion, B.R., Hey, J. and Bobrowski, A.
On-line monitoring of cobalt in zinc plant electrolyte by differential pulse adsorptive stripping voltammetry 281
Murphy, G.M., see Albery, W.J. 655

Nakamura, N.
— and Matsunaga, T.
Highly sensitive detection of allergen using bacterial magnetic particles 585
Nakanishi, S., see Kaku, S. 35
Naser, N., see Wang, J. 19
Navera, E.N.
—, Suzuki, M., Yokoyama, K., Tamiya, E., Takeuchi, T., Karube, I. and Yamashita, J.
Micro-choline sensor for acetylcholinesterase determination 673
Neely, F.L.
Flow-injection determination of tylosin in fermentation broth 243
Nelson, D.M., see Horwitz, E.P. 361
Netchiporuk, L.I., see Nyamsi Hendji, A.M. 3
Neuse, E.W., see Hendry, S.P. 453
Newman, O.M.G., see Mrzljak, R.I. 281
Nieman, T.A., see Martin, A.F. 475
Nikolelis, D.P.
—, Tzanelis, M.G. and Krull, U.J.
Electrochemical transduction of the acetylcholine–acetylcholinesterase reaction by bilayer lipid membranes 569
Nurchi, V., see Crisponi, G. 197
Nyamsi Hendji, A.M.
—, Jaffrezic-Renault, N., Martelet, C., Clechet, P., Shul'ga, A.A., Strikha, V.I., Netchiporuk, L.I., Soldatkin, A.P. and Wlodarski, W.B.
Sensitive detection of pesticides using a differential ISFET-based system with immobilized cholinesterases 3

O'Dea, J., see Mahoney, L.A. 25
O'Donnell, J.
—, Li, H., Rusterholz, B., Pedrazza, U. and Simon, W.
Development of magnesium-selective ionophores 129
Okada, T.
Effect of conformational changes on the reversed-phase chromatographic retention of polyoxyethylenes: quantitative interpretation based on a retention model in combination with molecular mechanics 85
Osa, T., see Anzai, J.-i. 543
Osteryoung, J.G., see Mahoney, L.A. 25

Pardue, H.L., see Uhegbu, C.E. 549
Parent, M.
—, Cornelis, R., Dams, R. and Alt, F.
Investigation of extraction and back-extraction behaviour of platinum(IV) with rubeanic acid in tributyl phosphate, with tributyl phosphate and with thenoyltrifluoroacetone in *n*-butyl alcohol–acetophenone by means of platinum-191 radiotracer for platinum-enrichment purposes 153
Pedrazza, U., see O'Donnell, J. 129
Peng, W.
— and Wang, E.
Preparation and characterization of a multi-cylinder microelectrode coupled with a conventional glassy carbon electrode and its application to the detection of dopamine 663
Pfeiffer, D.
—, Scheller, F.W., Setz, K. and Schubert, F.
Amperometric enzyme electrodes for lactate and glucose determinations in highly diluted and undiluted media 489
Pižeta, I., see Zelić, M. 63
Pornsinlapatip, P., see Burns, D.T. 607
Porter, N.
—, Hart, B.T., Morrison, R. and Hamilton, I.C.
The use of a pH gradient in flow-injection analysis in differentiating zinc and cadmium in a binary mixture 229
Praus, P.
— and Dombek, V.
β-Cyclodextrin in the capillary isotachophoretic separation of chlorophenols 397

Rank, M.
—, Gram, J. and Danielsson, B.
Industrial on-line monitoring of penicillin V, glucose and ethanol using a split-flow modified thermal biosensor 521
Rao, G., see Albery, W.J. 655
Rao, S.Y., see Geise, R.J. 467
Rathore, D.P.S.
—, Bhargava, P.K., Kumar, M. and Talra, R.K.
Indicator for the titrimetric determination of calcium and total calcium plus magnesium with ethylenediaminetetraacetate in water 173
Rechnitz, G.A., see Martin, G.B. 557
Renman, L., see Jagner, D. 305, 315
Ríos, A., see Agudo, M. 103
Rishpon, J., see Rosen-Margalit, I. 327
Rosen-Margalit, I.
—, Bettelheim, A. and Rishpon, J.
Cobalt phthalocyanine as a mediator for the electrooxidation of glucose oxidase at glucose electrodes 327
Rusterholz, B., see O'Donnell, J. 129

Sakamura, K., see Anzai, J.-i. 543
Sanz-Medel, A., see Alava-Moreno, F. 637
Sato, M., see Kaku, S. 35
Saurina, J.
— and Hernández-Cassou, S.
Flow-injection spectrophotometric determination of lysine in feed samples 593
Scheller, F.W., see Pfeiffer, D. 489
Schubert, F., see Pfeiffer, D. 489
Séquaris, J.-M.
— and Kalabokas, P.
Application of an iodide ion-selective electrode to the determination of anionic polyelectrolytes and colloids with a cationic surfactant 341
Setz, K., see Pfeiffer, D. 489

Shaw, S.J., see Adeloju, S.B. 611, 621
Shul'ga, A.A., see Nyamsi Hendji, A.M. 3
Simon, W., see O'Donnell, J. 129
Soldatkin, A.P., see Nyamsi Hendji, A.M. 3
Sorouradin, M.-H.
—, Hiraide, M., Kim, Y.-S. and Kawaguchi, H.
Quantitative desorption of humic substances from Amberlite XAD resins with an alkaline solution of sodium dodecyl sulfate 191
Stefansdottir, S.H., see Jagner, D. 305, 315
Strike, D.J., see Koudelka-Hep, M. 461
Strikha, V.I., see Nyamsi Hendji, A.M. 3
Sugawara, M., see Adachi, Y. 577
Suzuki, M., see Navera, E.N. 673
Szymanski, A.
— and Lukaszewski, Z.
Tensammetric studies of separation of surfactants. Part 2. Investigation of adsorption and preconcentration of non-ionic surfactants in PTFE tubes 443

Takahashi, K., see Hara, H. 45
Takeuchi, H., see Katayama, M. 111
Takeuchi, T., see Navera, E.N. 673
Talra, R.K., see Rathore, D.P.S. 173
Tamiya, E., see Navera, E.N. 673
Tanaka, Y., see Iijima, S. 483
Taniguchi, H., see Katayama, M. 111
Taniguchi, K., see Adachi, Y. 577
Toosi, S., see Uhegbu, C.E. 549
Trojanowicz, M., see Michałowski, J. 299
Tseng, C.-L., see Lo, J.-M. 429
Turner, A.P.F., see Hendry, S.P. 453
Tzanelis, M.G., see Nikolelis, D.P. 569

Uhegbu, C.E.
—, Pardue, H.L., Love, M.D. and Toosi, S.
Transient data to predict steady-state responses for enzyme-based reactor–sensor systems 549
Umezawa, Y., see Adachi, Y. 577

Valcárcel, M., see Agudo, M. 103
Vandecasteele, C., see Vanhoe, H. 401
Van de Nesse, R.J.
—, Hoornweg, G.Ph., Gooijer, C., Brinkman, U.A.Th., Velthorst, N.H. and Law, B.
Comparison of ultraviolet-laser induced and conventional fluorescence detection in conventional-size liquid chromatography of natively fluorescent analytes 373
Vanhoe, H.
—, Dams, R., Vandecasteele, C. and Versieck, J.
Determination of boron in human serum by inductively coupled plasma mass spectrometry after a simple dilution of the sample 401
Velthorst, N.H., see Van de Nesse, R.J. 373
Versieck, J., see Vanhoe, H. 401
Vialle, J., see Massardier, V. 391

Wada, H., see Yamada, H. 95
Wallace, G.G., see Adeloju, S.B. 611, 621
Wang, E., see Peng, W. 663
Wang, J.
—, Naser, N. and Wollenberger, U.
Use of tyrosinase for enzymatic elimination of acetaminophen interference in amperometric sensing 19
Wang, J., see Diamond, D. 629
Wang, J., see Xie, Y. 207
Weber, I., see Meyer, K. 161
Wilson, G.S., see Hu, Y. 503
Wilson, G.S., see Zhang, Y. 513
Wlodarski, W.B., see Nyamsi Hendji, A.M. 3
Wollenberger, U., see Wang, J. 19

Xie, Y.
—, Wang, J., Liang, Y., Ge, K. and Yu, R.
Background bilinearization by the use of generalized standard addition method on two-dimensional data 207

Yabuki, S., see Iijima, S. 483
Yacynych, A.M., see Geise, R.J. 467
Yamada, H.
—, Kobayakawa, I., Yuchi, A. and Wada, H.
Flow-injection determination of traces of potassium by extraction with bis[2-(5′-bromo-2′-pyridylazo)-5-(*N*-propyl-*N*-sulphopropylamino)phenolato]cobaltate(III) and cryptand[2.2.2] 95
Yamashita, J., see Navera, E.N. 673
Yao, T.
Enzyme electrode for the successive detection of hypoxanthine and inosine 323
Yokoyama, K., see Navera, E.N. 673
Yotsuyanagi, T., see Igarashi, S. 347
Yu, R., see Xie, Y. 207
Yuchi, A., see Yamada, H. 95

Zelić, M.
—, Pižeta, I. and Branica, M.
Study of cadmium adsorption from iodide media by voltammetry combined with data treatment by deconvolution 63
Zelić, M.
Factors affecting maximum relative concentrations of binary and ternary complexes in solutions 435
Zhang, Y.
— and Wilson, G.S.
In vitro and in vivo evaluation of oxygen effects on a glucose oxidase based implantable glucose sensor 513
Zhang, Y., see Hu, Y. 503
Zheng, Y.-X., see Fan, Y.-X. 353